


Applications

- Enterprise Storage Server
- Near-line Storage Server
- Virtual Tape Library
- NAS / iSCSI
- CCTV Surveillance DVR
- Medical Imaging
- Digital Content Delivery



Features & Benefits

- 1 Front bezel for data security and protection (OPT)
- 2 One(1) external slim floppy drive supported
- 3 Power on/off, system reset and LEDs for HDD & LAN
- 4 Front access USB port & serial console
- 5 One(1) external slim CD-ROM supported
- 6 Sixteen(16) external 3.5-inch hot-swap HDD supported
- 7 One(1) internal 2.5-inch HDD supported
- 8 SAS expander: Vitesse VSC7153 24-PHY SAS 3.0
- 9 Six(6) hot-swap middle fans for optimized cooling
- 10 One(1) internal 3.5-inch HDD or two(2) internal 2.5-inch HDD supported
- 11 Hot-swap redundant power supply (2+1 module) maximizes server protection
- 12 Rear access power supply alarm reset
- 13 Two(2) easy-swap rear fan for optimized cooling
- 14 Seven(7) PCI slots attribute to network expansion and scalability

RMC3E2-SA


Model Number : RMC3E2-XPSA	
Order Information : RMC3E2- ● - XPSA RMC3E2- ● - XPSAD (D= Dual Expander)	
Industry Standard : EIA-RS310D	
Materials : Heavy-duty cold-rolled steel	
Finish :	Inside / Body : Zinc-plated with bright chromate
	Outside / Front : Texture-coated
Dimensions : (W x D x H)	mm : 482.6 x 685.8 x 133.35
	inches : 19 x 27 x 5.25
Cooling :	Middle: 5 x 60x38mm hot-swap
	Rear: 2 x 60x38mm easy-swap
Power Supply :	● Descriptions
	95R 950W 2+1 hot-swap redundant PFC
Expansion : 7 x PCI slots (full height, full length)	
Controls : Power on/off and system reset + USB + serial port	
Indicators : Power, 2 x LAN and HDD LED's	
System Board : Up to 12"(W) x 13"(D) E-ATX/SSI EEB 3.6 compliant motherboard	

Drive Bay :	External	5.25"	0
		3.5"	0
		3.5" hot-swap	16
		2.5" hot-swap	0
	Internal	3.5"	1 x 3.5" or 2 x 2.5" HDD bay
		2.5"	
		Slim CD-Rom/DVD-Rom	1
		Slim FDD	1

Temperature : 0°C(32°F) ~ 50°C(122°F)	
Humidity : 5%~95% non-condensing	
Gross Weight : 22.5 kgs / 49.5 lbs	
Packaging Dimension (W x D x H) :	mm : 848 x 580 x 248
Cubic Feet : 8.63	
Expander:	Vitesse VSC7153 24-PHY SAS 3.0
Backplane :	Serial Attached SCSI (SAS)
Mounting Options :	SR-FR28-BN

Note: Please turn to page 147 for Mounting Options Matrix

Mechanical Drawing





AIC Headquarter
 17970 E. Ajax Circle
 City of Industry, CA 91748
 Tel: 626.581.4300
 Fax: 626.581.4320
 Email: info@aicipc.com
 Website: www.aicipc.com

AIC New Jersey
 11 Melanie Lane UNIT#20
 East Hanover, NJ 07936-1100
 Tel: 973.884.8886
 Fax: 973.884.4794
 Email: syao@aicipc.com
 Website: www.aicipc.com

AIC Europe BV
 3992AK,
 Houten, the Netherlands
 Tel: 31.30.6386789
 Fax: 31.30.6360638
 Email: hc@aicipc.com
 Website: www.aicipc.com

GLOBAL DISTRIBUTORS



North America

National Distributors

AMAX	URL: www.amax.com
ASI	URL: www.asipartner.com
Avnet	URL: www.avnet.com
Bell Microproducts	URL: www.bellmicro.com
Concentric Systems, Inc.	URL: www.csiopen.com
Equus Computer Systems	URL: www.equuscs.com
Leadertech	URL: www.leadertechusa.com
Leadman	URL: www.leadman.com
MA Labs	URL: www.malabs.com

Regional Distributors

Anova Microsystems Inc.	URL: www.anova.com
Denichi Computer	URL: www.denichi.com
KRI Computer	URL: www.servercase.com
LZS Global	URL: www.rackmountnet.com
Micro Depot Inc.	URL: www.microdepotinc.com
Source Code Corporation	URL: www.sourcecode.com
Wetex International Corp.	URL: www.wetex.com

System Integrator Partners

Ace Computer	URL: www.acecomputers.com
Alberdeen LCC	URL: www.aberdeenninc.com
CCS Inc.	URL: www.industrialcomputer.com
Fine Tec / Trigem Enterprises Inc.	URL: www.finetec.com
Great Lakes Electronic Distributing, Inc.	URL: www.gled.com
hpcNetworX EIG	URL: www.hpcnetworx.com
Just-Servers.com Division of Plug and Work, Inc.	URL: www.just-servers.com
Motherboard Express	URL: www.mbx.com
NCS Technologies Inc.	URL: www.ncst.com
Online Spectrum	URL: www.online-spectrum.com
Orbit Micro	URL: www.orbitmicro.com
PCs For Everyone!	URL: www.pcsforeveryone.com

Trademark Computer Products	URL: www.bellmicor.co,
YMI Rackmountpro	URL: www.rackmountpro.com

Canada

LCF Advanced Technology Ltd.	URL: www.lcf.com
Pucka Computer Corp.	URL: www.pucka.ca
Supercom	URL: www.supercom.ca
Comtronics	URL: www.comtronic.ca
Bell Microproducts Canada	URL: www.bellmicro.com

Europe

[France] - DATASWIFT	URL: www.dataswift.fr
[Germany] - SATATEC	URL: www.satatec.de
[Germany] - HQ SOLUTION	URL: www.hq-solutions.de
[Germany] - PCI Case GmbH	URL: www.pcicase.de
[Holland] - Procace Computer BV	URL: www.procace.nl
[Italy] - ABACO INTERNATIONAL	URL: www.abacointernational.it
[Italy] - TECHNOMOON SRL	URL: www.t-moon.it
[United Kingdom] - PCI Case Ltd. (Pro Computer & Industrial Case Ltd.)	URL: www.pcicase.co.uk
[Russia] - BTK Office Systems	URL: www.btk.com.ru
[Sweden] - LITECH System Distribution AB	URL: www.litech.se
[Sweden] - SweDeltaco AB	URL: www.deltaco.se
[Spain] - Powercase	URL: www.powercase.es
[Norway] - NEXTRON	URL: www.nextron.no

Asia

[Taiwan] - T-win Sheet Metal Co., Ltd.	URL: www.twinipc.com
--	----------------------

Australia

PCICASE Group PTY LTD.	URL: www.pcicase.com.au
[New Zealand] - Procace New Zealand LTD.	URL: www.procace.co.nz